


TOYOTA HILUX 2.4 TDSL AUTO DOUBLE CAB 4X4 DLX G ZT MY 2022



BASE MODEL	
MAKE	TOYOTA
MODEL NAME	HILUX 4WD D/C
GRADE	HILUX D/C 4WD DSL DLX-G A/T
KATASHIKI	GUN125L-DTTLXV
BODY TYPE	PICKUP

DIMENSIONS	
DIMENSIONS Lx Wx H mm	5325 X 1800 X 1815
DECK DIMENSIONS Lx Wx H mm	1520 X 1575 X 480
WHEEL BASE mm	3085
GROUND CLEARANCE mm	310
KERB WEIGHT (Kgs)	2005-2085
GROSS VEHICLE WEIGHT (Kgs)	2910
FUEL TANK CAPACITY Ltrs.	80

ENGINE & DRIVETRAIN	
DISPLACEMENT cc	2393
HP SAE (Net)	148
TORQUE KgM SAE (Net)	40.8
TYPE	4 CYL,16V, DOHC
FUEL SYSTEM	Efi W/ COMMON RAIL& INTERCOOLER (EURO4 W/OBD)
FUEL TYPE	DIESEL
CATALYTIC CONVERTER	WITH
T/M	6-SPEED A/T
4WD OPTIONS	PART-TIME
DIFF. OPTION	WITHOUT

INTERIOR	
CONSOLE BOX	CONSOLE BOX W/LID
Fr. SEAT BELT	3PELRx2 W/PT & FL
Rr. SEAT BELT	3PELRx2+2PNRx1
HEAD REST	WITH (2 No.)
DIGITAL CLOCK	WITH
INNER REAR VIEW MIRROR	DAY/NIGHT
SEAT MATERIAL	FABRIC
SEATING CAPACITY	5
SUN VISOR	D(W/HOLDER) + P
TACHOMETER	WITH

EXTERIOR	
BUMPER: Fr. & Rr.	COLOUR KEYED / STEEL STEP CHROME
DOOR HANDLES	CHROME PLATED
MUD GUARDS: Fr. & Rr.	REAR*

COLOUR KEYED	CHROME PLATED WITH TURN SIGNAL
POWER	WITH
WINDSHIELD GLASS	GREEN LAMINATED W/TOP SHADE

<u>TIRE</u>	
TIRE SIZE	225 / 70 R17C ALL TERRAIN STEEL GENERAL SILVER
WHEEL CAP	CENTER ORNAMENT/STEEL SPARE TIRE
<u>STEERING</u>	
POWER/TILT	WITH/WITH
<u>BRAKE</u>	
FRONT/REAR	V.DISC/DRUM
<u>SUSPENSION</u>	
FRONT	DOUBLE WISHBONE
REAR	LEAF SPRING
<u>SAFETY</u>	
ABS + EBD + BA	WITH
AIR BAG	D+P
VSC+HILLSTART ASSIST CONTROL (HAC) + TRAILER SWAY CONTROL (TSC)	WITH

<u>ELECTRICAL</u>	
AC/HEATER	WITH/WITH
ANTENNA	SHORT POLE
AUDIO	CD,USB, AUX, BT, 2 SPK
KEYLESS ENTRY	WITH
POWER DOOR LOCK	WITH
POWER WINDOW	WITH
RADIO	AM/FM
WIPER FR	MIST

<u>OTHERS</u>	
ANTI-THEFT IMMOBILISER	WITH
BADGE*	DLX*
DOOR COURTESY LAMP	W/ REFLECTOR
HEADLAMP	MULTI REFLECTOR HALOGEN
RADIATOR GRILLE	CHROME + SILVER
REAR FOG LAMP	WITH
REAR WINDOW	SLIDE TYPE
SAFETY KIT *	WITH
SHIFT LEVER KNOB	URETHANE
STEERING WHEEL	URETHANE W/ CONTROL SWITCHES, SILVER
DECK TYPE	J'DECK WITH GUARD FRAME
TYRE PRESSURE MONITORING SYSTEM	WITH